



Ordering Leaflet

Alfa Laval Handles for Butterfly Valves




Operating parts for LKB, LKB-2, LKB-F and LKB-LP valves
 Product code: 5226

Material: 1.4301 (304)

Item No.	LLP USD	Item No.	LLP USD	Size	Dimension (in)				
Pos. A* (standard)		Pos. B*		Inch**	S	K	R	T	
9612045001 9612045101 9612045901		9612523701 9612523703 9612523705		1-2.5 3 4	0.31 0.39 0.47	4.65 6.70 6.70	1.5 1.5 1.5	0.87 1.19 1.19	1.1 with 2 positions
9612045002 9612045102 9612045902 9612079101		9612523702 9612523704 9612523706 8010023732		1-2.5 3 4 6	0.31 0.39 0.47 0.59	4.65 6.70 6.70 14.37	1.5 1.5 1.5 2.00	0.87 1.19 1.19 1.89	1.1 with 4 positions
9612047401 9612047402 9612047403				1-2.5 3 4	0.31 0.39 0.47	4.76 6.35 6.35	1.34 1.34 1.34	0.87 1.19 1.19	1.1 regulating 363.15°K

*Pos. A (Standard)

*Pos. B



- 1) Open
- 2) Closed

** NOTE! Sold before 890601 - LKB 4": Square S = 0.39 in..

Operating parts for LKB, LKB-2, LKB-F and LKB-LP valves
 Product code: 5226, 5222

Item No.	LLP USD	Long/Short	Size	Dimension (in)				Lockable Multiposition*
				S	K	R	T	
1.4301 (304)			Inch**					
Product code: 5226								
9612592801		Long	1-2.5	0.31	7.87	1.70	0.87	
9612592802		Long	3	0.39	7.87	1.70	1.18	
9612592803		Long	4	0.47	7.87	1.70	1.18	
9612592804		Short	1-2.5	0.31	5.91	1.72	0.87	
9612592805		Short	3	0.39	5.91	1.72	1.18	
9612592806		Short	4	0.47	5.91	1.72	1.18	

*A padlock can be mounted on the Lockable Multiposition Handle (see LKB product leaflet). Note! Padlock is not delivered by Alfa Laval.
 The Lockable Multiposition Handle can be used in on/off position or for regulating with on/off position and 5 intermediate positions with 15° step.

Note for Ultra Pure ASME BPE clamp valve (size 1" - 2½")!

Installation and removal of some clamp rings is easiest by removal of the lockable multi position handle

The Lockable Multiposition Handle can not be fit on the following valve connections:

- LKB
- ISO (IDF) male part, size 4"
- DS male part, size 1.5", 2", 3"
- BS male part, size 1.5", 2", 2.5", 3"
- SMS male part, size 38
- DIN nut and liner, size DN40
- DIN male part, size DN40, DN50, DN65
- LKB-2
- DIN male part/nut and liner, size DN32, DN40

Item No.	LLP USD	Long/Short	Size	Dimension (in)			Mounting brackets with handle 1.1 for indication unit
				S	A	B	
1.4301 (304)			LKB for Inch**				
Product code: 5226							
9612047501			1-2.5	0.31	3.80	5.96	
9612047502			3	0.39	4.25	7.89	
9612047503			4	0.47	4.25	7.89	
8010013929			5	0.55	5.28	15.91	
8010013928			6	0.59	6.06	16.81	

Note: DN125 / 150 use ø12 sensors and are lockable - See ordering leaflet for Brackets and Inductive sensors (Note 1)

Alfa Laval reserves the right to change specifications without prior notification.

How to contact Alfa Laval

Contact details for all countries are continually updated on our website. Please visit www.alfalaval.us to access the information direct.