





# 1.3 Bevel seat fittings



Price lists	
Ferrules	1.3.118
Nuts, Gaskets and Solid End Caps	1.3.121
Adapters	1.3.122

Item No.	PPL USD	Item No.	PPL USD	Size		Dimension								
						A		B		C		D		
<b>304</b>		<b>316L</b>		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	<b>14 Plain Recessed Weld Ferrule - #7</b>
010233		**		1		0.75	19.0	0.50	12.7	0.88	22.2	1.00	25.4	 <p>TD 321-079</p>
011266		**		1½		0.88	22.0	0.63	15.9	1.38	34.9	1.50	38.1	
012370		**		2		0.97	24.6	0.69	17.5	1.88	47.6	2.00	50.8	
013253		**		2½		1.06	27.0	0.75	19.0	2.38	60.3	2.50	63.5	
014291		**		3		1.13	28.6	0.81	20.6	2.88	73.0	3.00	76.2	
015365		**		4		1.25	31.8	0.94	23.8	3.83	97.2	4.00	101.6	
<b>L14A Plain Long Weld Ferrule - #7 (3A)</b>														
240603		246051		1	25.4	1.38	34.9							 <p>TD 321-080</p>
241603		246107		1½	38.1	1.50	38.1							
242603		246086		2	50.8	1.50	38.1							
243603		246035		2½	63.5	1.75	44.5							
244603		246062		3	76.2	1.75	44.5							
245603		241090		4	101.6	1.75	44.5							
<b>14PRFS Plain Short Weld Ferrule - #7 (3A)</b>														
610866		610758		1	25.4	0.69	17.5							 <p>TD 321-081</p>
610867		610762		1½	38.1	0.72	18.3							
610868		610784		2	50.8	0.72	18.3							
610869		610789		2½	63.5	0.84	21.4							
610870		610811		3	76.2	0.91	23.0							
610871		610847		4	101.6	1.031	31.0							
<b>14R Plain Ferrule for Expanding - #7 (3A)<sup>1</sup></b>														
010254				1	25.4	0.75	19.0	1.00	25.4					 <p>TD 321-082_1</p>
011290				1½	38.1	1.125	28.6	1.50	38.1					
012395				2	50.8	1.312	33.3	2.00	50.8					
013280				2½	63.5	1.375	34.9	2.50	63.5					
014320				3	76.2	1.437	36.5	3.00	76.2					
015400				4	101.6	1.50	38.1	4.00	101.6					

\*\* Not available

Note: L14A, 14PRFS and 14R are 3A approved





<sup>1</sup> = 3A approved for modifying or repairing existing on-site farm milk handling equipment

Item No.	PPL USD	Item No.	PPL USD	Size		Dimension								
						A		B		C		D		
304		316L		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	<b>14W Plain Tank Weld Ferrule - #7 (3A)</b>
010066		**		1	25.4	2.38	60.3	0.88	22.2	1.16	29.4			
011298		**		1½	38.1	2.53	64.3	1.38	34.9	1.67	42.5			
012405		**		2	50.8	2.78	70.6	1.88	47.6	2.19	55.6			
013287		**		2½	63.5	3.06	77.8	2.38	60.3	2.70	68.6			
014329		**		3	76.2	3.53	89.7	2.88	73.0	3.22	81.8			
015407		**		4	101.6	4.31	109.5	3.83	97.2	4.25	108.0			
<b>14WL Plain Light Tank Weld Ferrule - #7 (3A)</b>														
010268				1	25.4	2.00	50.8							
011306				1½	38.1	2.25	57.2							
012414				2	50.8	2.50	63.5							
013295				2½	63.5	2.75	69.9							
014335				3	76.2	3.00	76.2							
015415				4	101.6	4.00	101.6							
<b>15 Threaded Recessed Weld Ferrule - #7</b>														
010276				1	25.4	0.81	20.6	0.50	12.7	0.88	22.2	1.00	25.4	
011315				1½	38.1	0.88	22.2	0.63	15.9	1.38	34.9	1.50	38.1	
012425				2	50.8	1.03	26.2	0.69	17.5	1.88	47.6	2.00	50.8	
013303				2½	63.5	1.13	28.6	0.75	19.0	2.38	60.3	2.50	63.5	
014346				3	76.2	1.25	31.8	0.81	20.6	2.88	73.0	3.00	76.2	
015425				4	101.6	1.38	34.9	0.94	23.8	3.83	97.2	4.00	101.6	
<b>L15A Threaded Long Weld Ferrule - #7 (3A)</b>														
240618		246082		1	25.4	1.38	34.9							
241618		241089		1½	38.1	1.50	38.1							
242618		246370		2	50.8	1.50	38.1							
243618		246063		2½	63.5	1.75	44.5							
244618		246084		3	76.2	1.75	44.5							
245618		241091		4	101.6	1.75	44.5							

\*\* Not available




Note: 14W, 14WL and L15A are 3A approved



Item No.	PPL USD	Item No.	PPL USD	Size		Dimension						
						A		B		C		
				inch	mm	inch	mm	inch	mm	inch	mm	
<b>15TRFS Threaded Short Weld Ferrule - #7 (3A)</b>												
610878		610895		1	25.4	0.69	17.5					
610879		610922		1½	38.1	0.72	18.3					
610880		610924		2	50.8	0.72	18.3					
610881		610926		2½	63.5	0.84	21.4					
610882		610928		3	76.2	0.91	23.0					
610883		610930		4	101.6	1.031	13.5					
<b>15R Threaded Ferrule for Expanding - #7 (3A)<sup>1</sup></b>												
010291				1	25.4	0.81	20.6	1.00	25.4			
011331				1½	38.1	1.13	28.6	1.50	38.1			
012445				2	50.8	1.38	34.9	2.00	50.8			
013317				2½	63.5	1.50	38.1	2.50	63.5			
014360				3	76.2	1.63	41.3	3.00	76.2			
015439				4	101.6	1.63	41.3	4.00	101.6			
<b>15W Threaded Tank Weld Ferrule - #7 (3A)</b>												
010307				1	25.4	1.50	38.1	0.88	22.2	1.25	31.8	
011350				1½	38.1	1.63	41.3	1.38	34.9	1.75	44.5	
012465				2	50.8	1.75	44.5	1.88	47.6	2.31	58.7	
013335				2½	63.5	1.75	44.5	2.38	60.3	2.88	73.0	
014375				3	76.2	1.81	46.0	2.88	73.0	3.38	85.7	
015453				4	101.6	2.13	54.0	3.83	97.2	4.25	108.0	
<b>15WL Threaded Light Tank Weld Ferrule - #7 (3A)</b>												
010315				1	25.4	2.00	50.8					
011357				1½	38.1	2.25	57.2					
012476				2	50.8	2.50	63.5					
013343				2½	63.5	2.75	69.9					
014384				3	76.2	3.00	76.2					
015460				4	101.6	4.00	101.6					






Note: 3A approved for finish #7

<sup>1</sup> = 3A approved for modifying or repairing existing on-site farm milk handling equipment

Item No.	PPL USD	Size		Dimension				
				A		B		
		inch	mm	inch	mm	inch	mm	
<b>304</b>								
010221		1	25.4	0.91	23.0	1.81	46.0	 <p>13H Bevel Seat Nut</p> <p>TD 321-091</p>
011250		1½	38.1	0.97	24.6	2.41	61.1	
012350		2	50.8	1.06	27.0	3.00	76.2	
013236		2½	63.5	1.19	30.2	3.59	91.3	
014265		3	76.2	1.28	32.5	4.19	106.4	
015340		4	101.6	1.50	38.1	5.44	138.1	
<b>NEO</b>								
<b>ST40 Gasket (Snap Tite)</b>								
88110111		1	25.4					 <p>TD 321-092</p>
88110112		1½	38.1					
88110113		2	50.8					
88110114		2½	63.5					
88110115		3	76.2					
<b>304</b>								
<b>16A Plain Solid End Cap - #7 (3A)</b>								
010323		1	25.4	1.31	33.3			 <p>TD 321-093</p>
011365		1½	38.1	1.84	46.8			
012485		2	50.8	2.38	60.3			
013350		2½	63.5	2.91	73.8			
014394		3	76.2	3.44	87.3			
015467		4	101.6	4.50	114.3			

Note: 3A approved for finish #7



Item No.	PPL USD	Size		Dimension				
				A		B		
		inch	mm	inch	mm	inch	mm	
<b>14AHR Plain x Rubber Hose Adapter - #7</b>								
011848		1½	38.1	1.687	176.2	1.50	38.1	
012913		2	50.8	2.31	58.7	2.00	50.8	
014891		3	76.2	3.50	88.9	3.00	76.2	
**		4	101.6	4.00	101.6	4.00	101.6	
<b>14AHT Plain x Tygon Hose Adapter - #7</b>								
010747		1	25.4	4.69	119.1	1.00	25.4	
011867		1½	38.1	4.72	119.9	1.50	38.1	
012959		2	50.8	4.72	119.9	2.00	50.8	
013267		2½	63.5	4.84	123.0	2.50	63.5	
014296		3	76.2	4.91	124.6	3.00	76.2	
015380		4	101.6	5.22	132.6	4.00	101.6	
<b>15AHT Threaded x Tygon Hose Adapter - #7</b>								
010286		1	25.4	4.50	119.1	1.00	25.4	
011327		1½	38.1	4.50	119.9	1.50	38.1	
012432		2	50.8	4.50	119.9	2.00	50.8	
013322		2½	63.5	4.50	123.0	2.50	63.5	
014966		3	76.2	4.50	124.6	3.00	76.2	
<b>21 Threaded x Male NPT Adapter - #7</b>								
010389		1 x 1	25.4 x 25.4	2.25	57.2	0.66	16.7	
011450		1½ x 1½	38.1 x 38.1	2.44	61.9	0.72	18.3	
012575		2 x 2	50.8 x 50.8	2.66	67.5	0.75	19.1	
014465		3 x 3	76.2 x 76.2	3.50	88.9	1.20	30.6	
<b>22 Threaded x Female NPT Adapter - #7</b>								
010404		1 x 1	25.4 x 25.4	2.17	55.0	0.60	15.2	
011470		1½ x 1½	38.1 x 38.1	2.25	57.2	0.55	13.9	
012593		2 x 2	50.8 x 50.8	2.34	59.5	0.55	13.9	
013429		2½ x 2½	63.5 x 63.5	2.09	53.2	0.67	17.1	
014483		3 x 3	76.2 x 76.2	2.19	55.6	0.75	19.1	

\* = Please contact your Alfa Laval contact person for further information.

\*\* Not available