




1.4 Other fittings



Price lists	
DC Fittings	1.4.124
H-Line Fittings	1.4.125
HDI Fittings	1.4.126
HDI Fittings	1.4.127
John Perry Fittings	1.4.128
IPS Schedule 5 Fittings	1.4.130
ISO-DIN Union Parts	1.4.133





1.4

Item No.	PPL USD	Item No.	PPL USD	Size		Dimension A		
				inch	mm	inch	mm	
304		316L						
Product code: 5050						15TRFDC Threaded Short Weld Ferrule #7 (3A)		
9611344622		9611344623		1½	38.1	0.72	18.3	
9611344602		9611344603		2	50.8	0.75	19.1	
9611344632		9611344633		2½	63.5	0.88	22.2	
9611344642		9611344643		3	76.2	0.91	23.0	
9611344652		9611344653		4	101.6	1.03	26.2	
Product code: 5058						L15ADC Threaded Long Weld Ferrule #7 (3A)		
9611344982		9611344992		1½	38.1	1.50	38.1	
9611344983		9611344993		2	50.8	1.50	38.1	
9611344984		9636000064		2½	63.5	1.75	44.5	
9611344985		9611344995		3	76.2	1.75	44.5	
9611344986		**		4	101.6	1.75	44.5	
U - Buna N				inch	mm			
Product code: 5086						DC40 Gasket		
8811045				1½	38.1			
8811046				2	50.8			
8811047				2½	63.5			
8811048				3	76.2			
88121294				4	101.6			

* = Please contact your Alfa Laval contact person for further information.

** Not available

Note: 3A approved for finish #7





Item No.	PPL USD	Item No.	PPL USD	Size		Dimension				
						A		B		
304		316L		inch	mm	inch	mm	inch	mm	H-14W Male Short Weld Ferrule - #7 (3A)
**		88243040		1	25.4	1.00	25.4			
9611342140		9611342150		1½	38.1	1.00	25.4			
9611342141		9611342151		2	50.8	1.00	25.4			
9611342142		9611342152		2½	63.5	1.00	25.4			
**		9611342153		3	76.2	1.00	25.4			
9611342144		9611342154		4	101.6	1.00	25.4			
H-15W Female Short Weld Ferrule - #7 (3A)										
**		88243031		1	25.4	1.00	25.4			
9611342040		9611342050		1½	38.1	1.00	25.4			
9611342041		9611342051		2	50.8	1.00	25.4			
9611342042		9611342052		2½	63.5	1.00	25.4			
9611342043		9611342053		3	76.2	1.00	25.4			
9611342044		9611342054		4	101.6	1.00	25.4			
H-16A-14 Male Solid End Cap - #7 (3A)										
		9611341990		1½	38.1	2.00	50.8	1.63	41.3	
		9611341991		2	50.8	2.50	63.5	2.13	54.0	
		9611341992		2½	63.5	3.03	77.0	2.63	66.7	
9611341983		9611341993		3	76.2	3.56	90.5	3.13	79.4	
9611341984		9611341994		4	101.6	4.69	119.1	4.09	104.0	
X - Silicone U - Buna N H40 Gasket										
88117112		**		1½	38.1					
88117113		88133583		2	50.8					
88117114		88143695		2½	63.5					
88117115		88138865		3	76.2					
9635117116		88136333		4	101.6					

* = Please contact your Alfa Laval contact person for further information.

** Not available

Note: 3A approved for finish #7

1.4





Item No.	PPL USD	Item No.	PPL USD	Size		Dimension				HDI-14W Male Short Ferrule - #7 (3A)
						A		B		
				inch	mm	inch	mm	inch	mm	
9612016601		9612016701		1	25.4	0.78	19.8			 <p>TD 321-103</p>
9612016602		9612016702		1½	38.1	0.94	23.8			
9612016603		9612016703		2	50.8	1.03	26.2			
9612016604		9612016704		2½	63.5	1.16	29.4			
9612016605		9612016705		3	76.2	1.22	31.0			
9612016606		9612016706		4	101.6	1.34	34.1			
HDI-15W Female Short Ferrule - #7 (3A)										
9612017401		9612017501		1	25.4	0.78	19.8			 <p>TD 321-104</p>
9612017402		9612017502		1½	38.1	0.94	23.8			
9612017403		9612017503		2	50.8	1.03	26.2			
9612017404		9612017504		2½	63.5	1.16	29.4			
9612017405		9612017505		3	76.2	1.22	31.0			
9612017406		9612017506		4	101.6	1.34	34.1			
HDI-16A-14 Male Solid End Cap - #7 (3A)										
9612021602		9612021702		1½	38.1	2.00	50.8	1.75	44.5	 <p>TD 321-105</p>
9612021603		9612021703		2	50.8	2.66	67.5	2.25	57.2	
9612021604		9612021704		2½	63.5	3.31	84.1	2.75	69.9	
9612021605		9612021705		3	76.2	3.88	98.4	3.31	84.1	
9612021606		9612021706		4	101.6	4.88	123.8	4.31	109.5	
HDI-16A-15 Female Solid End Cap - #7 (3A)										
9612021802		9612021902		1½	38.1	2.00	50.8	1.75	44.5	 <p>TD 321-106</p>
9612021803		9612021903		2	50.8	2.66	67.5	2.25	57.2	
9612021804		9612021904		2½	63.5	3.31	84.1	2.75	69.9	
9612021805		9612021905		3	76.2	3.88	98.4	3.31	84.1	
9612021806		9612021906		4	101.6	4.88	123.8	4.31	109.5	

* = Please contact your Alfa Laval contact person for further information.

Note: 3A approved for finish #7

Item No.	PPL USD	Item No.	PPL USD	Size		Dimension		
						A		
				inch	mm	inch	mm	
304								
9612022102				1½	38.1	2.22	56.4	
9612022103				2	50.8	2.97	75.4	
9612022104				2½	63.5	3.59	91.3	
9612022105				3	76.2	4.16	105.6	
9612022106				4	101.6	5.13	130.2	
E - EPDM		U - Buna N						HDI-40 Gasket
88139829		9612022301		1	25.4			
88139762		9612022302		1½	38.1			
88139763		9612022303		2	50.8			
88143538		9612022304		2½	63.5			
88139851		9612022305		3	76.2			
88139764		9612022306		4	101.6			
G - PTFE (Solid)		SFY - Fluoroelastomer						HDI-40 Gasket
9612022201		9612022401		1	25.4			
9612022202		9612022402		1½	38.1			
9612022203		9612022403		2	50.8			
9612022204		9612022404		2½	63.5			
9612022205		9612022405		3	76.2			
9612022206		9612022406		4	101.6			




Item No.	PPL USD	Item No.	PPL USD	Size		Dimension A		
				inch	mm	inch	mm	
304		316L						14PRFJP Plain Short Weld Ferrule - #7 (3A)
610229		**		1	25.4	0.687	15.9	
618214		610454		1½	38.1	0.719	16.6	
617919		610226		2	50.8	0.719	16.6	
618210		610227		2½	63.5	0.844	19.8	
617918		610414		3	76.2	0.906	20.6	
617914		*		4	101.6	1.218	23.0	
15TRFJP Threaded Short Weld Ferrule - #7 (3A)								
618220		**		1	25.4	0.69	17.5	
610190		618221		1½	38.1	0.69	17.5	
610216		618228		2	50.8	0.75	19.1	
618229		610228		2½	63.5	0.84	21.4	
610399		618230		3	76.2	0.88	22.2	
618232		610222		4	101.6	1.218	26.2	
L14AJP Plain Long Weld Ferrule - #7 (3A)								
241609				1½	38.1	1.50	38.1	
242593				2	50.8	1.50	38.1	
243569				2½	63.5	1.75	44.5	
244584				3	76.2	1.75	44.5	
240040				4	101.6	1.75	44.5	
L15AJP Threaded Long Weld Ferrule - #7 (3A)								
241632				1½	38.1	1.50	34.9	
242621				2	50.8	1.50	38.1	
243626				2½	63.5	1.75	38.1	
240629				3	76.2	1.75	44.5	
245625				4	101.6	1.75	44.5	

* = Please contact your Alfa Laval contact person for further information.

**Not available

Note: 3A approved for finish #7

Item No.	PPL USD	Item No.	PPL USD	Size		Dimension				
						A		B		
304		316L		inch	mm	inch	mm	inch	mm	16AJP Plain Solid End Cap - #7 (3A)
010302				1	25.4	0.44	11.1	1.31	33.3	
011372				1½	38.1	0.50	12.7	1.84	72.2	
012454				2	50.8	0.53	13.5	2.38	60.3	
013346				2½	63.5	0.56	14.3	2.91	73.8	
014391				3	76.2	0.63	15.9	3.44	87.3	
015473				4	101.6	0.69	17.5	4.50	114.3	
TD 321-113										
E - EPDM		U - Buna N								40JP Gasket
290227		298188		1	25.4					
290212		298190		1½	38.1					
290211		298192		2	50.8					
		298194		2½	63.5					
		298196		3	76.2					
		298198		4	101.6					
TD 321-114										
G - PTFE		SFY - Steam Resistant Fluoroelastomer								40JP Gasket
290245		290193		1	25.4					
290215		290194		1½	38.1					
290123		290092		2	50.8					
290249		9634050305		2½	63.5					
290244		290209		3	76.2					
290246		290210		4	101.6					
TD 321-114										

* = Please contact your Alfa Laval contact person for further information.




Note: 3A approved for finish #7

1.4

Item No.	PPL USD	Item No.	PPL USD	IPS Nominal Size in inches	Dimension						
					A		B		C		
					inch	mm	inch	mm	inch	mm	
14WMV** Tri-Clamp Short Weld Ferrule - #7 (3A)											
654019		654041		1	0.50	12.7					
654020		654042		1½	0.50	12.7					
654021		654043		2	0.50	12.7					
654022		654044		2½	0.50	12.7					
654023		654045		3	0.50	12.7					
650032		654047		4	0.63	15.9					
654029		650002		6	0.875	22.2					
654031		650024		8	1.50	38.1					
14WLMV** Tri-Clamp Light Tank Weld Ferrule - #1											
270526		273526		1	3.00	76.2					
270528				1½	3.00	76.2					
270529		273529		2	3.00	76.2					
270530		273530		2½	3.00	76.2					
270531		273531		3	4.00	101.6					
270533		273533		4	4.00	101.6					
270535		273535		6	6.00	152.4					
270536		270067		8	6.00	152.4					
14MVW** Tri-Clamp Tank Weld Ferrule - #7 (3A)											
273443		270033		1	1.63	41.3	1.19	30.1	1.53	38.9	
270465		273439		1½	1.63	41.3	1.77	45.0	2.11	53.6	
270378		273440		2	1.75	44.5	2.25	57.0	2.59	65.9	
273442		270002		2½	1.75	44.5	2.71	68.7	3.11	79.0	
270382		273441		3	1.81	46.0	3.33	84.7	3.56	90.5	
270276		273445		4	2.13	54.0	4.33	110.1	4.56	115.9	

* = Please contact your Alfa Laval contact person for further information.

Note: 3A approved for finish #7

Item No.	PPL USD	IPS Nominal Size in inches	Dimension A		
			inch	mm	
304					A13MV** Light Duty Tri-Clamp with T-Bolt
270414		3	4.22	107.2	 <p>TD 321-068</p>
270416		4	5.22	132.6	
271917		8	9.32	236.7	
271939		10	11.44	290.6	
271941		12	13.44	341.4	
13MHVM** Heavy Duty Tri-Clamp with Wing Nut					
270266		3	4.26	108.2	 <p>TD 321-065</p>
270267		4	5.26	133.6	
270060		6	7.32	185.9	
13MHPV** High Pressure Tri-Clamp					
270100		3	4.18	106.2	 <p>TD 321-036</p>
270001		4	5.18	131.6	

* = Please contact your Alfa Laval contact person for further information.



1.4

Item No.	PPL USD	Item No.	PPL USD	IPS Nominal Size in inches		Dimension				
						A		B		
304		316L		inch	mm	inch	mm	inch	mm	16AMV** Tri-Clamp Solid End Cap - #7 (3A)
270504		273504		3		0.31	7.9	4.13	104.9	
270506		273506		4		0.38	9.7	5.13	130.3	
270508		273508		6		0.44	11.2	7.20	182.9	
270509		270084		8		0.44	11.2	9.20	233.7	
U - Buna N		G - PTFE (Solid)								40MV Tri-Clamp Gasket
298570		298528		1	25.4					
298572		298530		1½	38.1					
298573		298531		2	50.8					
298574		298532		2½	63.5					
298575		298533		3	76.2					
298577		298535		4	101.6					
		298537		6	152.4					
		298538		8	203.2					
		298539		10	254.0					
		290104		12	304.8					
U - Buna N		X - Silicone								40MV Tri-Clamp Flanged Gasket
298519				2	50.8					
298503				3	76.2					
298504		290164		4	101.6					
298558		298600		6	152.4					
298559		298601		8	203.2					
298687		298602		10	254.0					
298688		298603		12	304.8					
GR - PTFE with Fluoroelastomer Insert										A40MV-GR Tri-Clamp Teflon Envelope Gasket
290078				1	25.4					
290079				1½	38.1					
290080				2	50.8					
290081				2½	63.5					
290082				3	76.2					
290083				4	101.6					
290084				6	152.4					

Note: 3A approved for finish #7

Finish: Semi bright
 Thread: Round type
 Product code: 5044

1.4

Material Item No.	PPL USD	Size	Dimension (in)				Male part
			A	B	C	D	
1.4301 (304)		Inch					
9611300977		1.00		1.14	2.05 x 1/6	0.99	
9611300978		1.57		1.30	2.56 x 1/6	1.50	
9611300979		1.97		1.38	3.07 x 1/6	2.02	
9611300980		2.56		1.57	3.74 x 1/6	2.51	
9611306330		2.95		1.57	4.09 x 1/6	3.00	
9611300981		3.15		1.77	4.33 x 1/4	3.00	
9611300983		3.94		2.13	5.12 x 1/4	4.01	
							Liner
9611300984		1.00	1.73	0.87		1.60	
9611300985		1.57	2.20	1.02		1.50	
9611300986		1.97	2.68	1.10		2.02	
9611300987		2.56	3.39	1.26		2.51	
9611306390		2.95	3.74	1.26		3.00	
9611300988		3.15	3.94	1.46		3.00	
9611300990		3.94	4.76	1.73		4.01	
							Nut
3131800141		1.00	2.48	0.83	2.05 x 1/6	1.42	
3131800142		1.25	2.76	0.83	2.28 x 1/6	1.65	
3131800143		1.57	3.07	0.83	2.56 x 1/6	1.93	
3131800144		1.97	3.62	0.87	3.07 x 1/6	2.44	
3131800145		2.56	4.41	0.98	3.74 x 1/6	3.15	
9611306440		2.95	4.72	1.02	4.09 x 1/6	3.43	
3131800146		3.15	5.00	1.18	4.33 x 1/4	3.70	
3131800148		3.94	5.83	1.22	5.12 x 1/4	4.53	

Finish: Semi bright
 Thread: Round type
 Product code: 5044

1.4

Material Item No.	PPL USD	Material Item No.	PPL USD	Size	Dimension (in)				
1.4307 (304L)		1.4404 (316L)		Inch	OD/ID x t	B	C	Male part	
9612157901		9612157917		0.98	1.00/0.90 x 0.05	1.14	2.05 x 1/6		
9612157903		9612157919		1.57	1.50/1.38 x 0.06	1.30	2.56 x 1/6		
9612157904		9612157920		1.97	2.00/1.88 x 0.06	1.38	3.07 x 1/6		
9612157905		9612157921		2.56	2.50/2.38 x 0.06	1.57	3.74 x 1/6		
9612157906		9612157922		2.95	3.00/2.88 x 0.06	1.57	4.09 x 1/6		
9612157907		9612157923		3.15	3.00/2.84 x 0.08	1.77	4.33 x 1/4		
9612157908		9612157924		3.94	4.00/3.84 x 0.08	2.13	5.12 x 1/4		
1.4307 (304L)		1.4404 (316L)		Inch	OD/ID x t	A	B	Liner	
9612158001		9612158017		0.98	1.00/0.90 x 0.05	1.73	0.87		
9612158003		9612158019		1.57	1.50/1.38 x 0.06	2.20	1.02		
9612158004		9612158020		1.97	2.00/1.99 x 0.06	2.70	1.10		
9612158005		9612158021		2.56	2.50/2.38 x 0.06	3.39	1.26		
9612158006		9612158022		2.95	3.00/2.88 x 0.06	3.69	1.26		
9612158007		9612158023		3.15	3.00/2.84 x 0.08	3.94	1.46		
9612158008		9612158024		3.94	4.00/3.84 x 0.08	4.76	1.73		
1.4307 (304L)				Inch	OD/ID x t	A	B	C	Nut
3131800141				0.98	2.05 x 1/6	2.48	0.83	1.42	
3131800142				1.26	2.28 x 1/6	2.76	0.83	1.65	
3131800143				1.57	2.56 x 1/6	3.07	0.83	1.93	
3131800144				1.97	3.07 x 1/6	3.62	0.87	2.44	
3131800145				2.56	3.74 x 1/6	4.41	0.98	3.15	
9611306440				2.95	4.09 x 1/6	4.72	1.02	3.43	
3131800146				3.15	4.33 x 1/4	5.00	1.18	3.70	
3131800148				3.94	5.12 x 1/4	5.83	1.22	4.53	

Finish: Semi bright
 Thread: Round type
 Product code: 5044

Material Item No.	PPL USD	Material Item No.	PPL USD	Size	Dimension (in)				
1.4307 (304L)		1.4404 (316L)		Inch	OD/ID x t	B	C	Male part	
3131800072		3131800071		0.98	0.98/0.89 x 0.05	0.87	2.05 x 1/6		
3131800082		3131800081		1.26	1.25/1.15 x 0.05	0.87	2.28 x 1/6		
3131800092		3131800091		1.57	1.50/1.38 x 0.06	0.87	2.56 x 1/6		
3131800102		3131800101		1.97	2.00/1.88 x 0.06	0.87	3.07 x 1/6		
3131800112		3131800111		2.56	2.50/2.37 x 0.06	0.98	3.74 x 1/6		
9611306020		9611306021		2.95	3.00/2.88 x 0.06	1.18	4.09 x 1/6		
3131800122		3131800121		3.15	3.00/2.84 x 0.08	1.18	4.33 x 1/4		
3131800342		3131800341		3.94	4.00/3.84 x 0.08	1.18	5.12 x 1/4		
1.4307 (304L)		1.4404 (316L)		Inch	OD/ID x t	A	B	Liner	
3131800182		3131800181		0.98	0.98/0.89 x 0.05	1.73	0.71		
		9611330721		1.26	1.25/1.15 x 0.05	1.97	0.59		
3131800192		3131800191		1.57	1.50/1.38 x 0.06	2.20	0.71		
3131800202		3131800201		1.97	2.00/1.88 x 0.06	2.68	0.79		
3131800212		3131800211		2.56	2.50/2.37 x 0.06	3.39	0.79		
9611306070		9611306071		2.95	3.00/2.88 x 0.06	3.74	0.79		
3131800222		3131800221		3.15	3.00/2.84 x 0.08	3.94	0.79		
3131800232		3131800231		3.94	4.00/3.84 x 0.08	4.76	0.91		
1.4307 (304L)				Inch	A	B	C	D	Nut
3131800141				0.98	2.48	0.83	2.05 x 1/6	1.42	
3131800142				1.26	2.76	0.83	2.28 x 1/6	1.65	
3131800143				1.57	3.07	0.83	2.56 x 1/6	1.93	
3131800144				1.97	3.62	0.87	3.07 x 1/6	2.44	
3131800145				2.56	4.41	0.98	3.74 x 1/6	3.15	
9611306440				2.95	4.72	1.02	4.09 x 1/6	3.43	
3131800146				3.15	5.00	1.18	4.33 x 1/4	3.70	
3131800148				3.94	5.83	1.22	5.12 x 1/4	4.53	



Finish: See below
 Thread: Round type
 Product code: 5044

1.4

Material Item No.	PPL USD	Size	Dimension (in)				
1.4404 (316L)		Inch	OD₁/ID₁ x t₁	A	B	ID₂	Reducing liner, semi bright
9611307350		1.26/0.98	0.98/0.89 x 0.05	1.97	0.71	1.26	
9611307351		1.57/0.98	0.98/0.89 x 0.05	2.20	0.71	1.50	
9611307352		1.57/1.26	1.33/1.23 x 0.05	2.20	0.71	1.50	
9611307353		1.97/1.50	1.50/1.40 x 0.05	2.68	0.79	1.97	
9611307354		2.56/2.01	2.00/1.91 x 0.05	3.39	0.79	2.60	
9611307355		3.15/2.01	2.00/1.91 x 0.05	3.94	0.79	3.19	
9611307356		3.15/2.50	2.50/2.37 x 0.06	3.94	0.79	3.19	
9611307357		3.94/3.00	3.00/2.9 x 0.06	4.76	0.91	3.94	
1.4404 (316L)		Inch	OD₁/ID₁ x t₁	B	C	ID₂	Reducing male part, Semi bright
9611307340		1.26/0.98	0.98/0.89 x 0.05	0.87	2.28 x 1/6	1.26	
9611307341		1.57/0.98	0.98/0.89 x 0.05	0.87	2.56 x 1/6	1.50	
9611307342		1.57/1.26	1.33/1.23 x 0.05	0.87	2.56 x 1/6	1.50	
9611307343		1.97/1.50	1.50/1.40 x 0.05	0.87	3.07 x 1/6	1.97	
9611307344		2.56/2.01	2.00/1.91 x 0.05	27.0	3.74 x 1/6	2.60	
9611307345		3.15/2.01	2.00/1.91 x 0.05	1.26	4.33 x 1/4	3.19	
9611307346		3.15/2.50	2.50/2.37 x 0.06	1.26	4.33 x 1/4	3.19	
9611307347		3.94/3.00	3.00/2.9 x 0.06	33.0	5.12 x 1/4	3.94	

Item No.	PPL USD	Item No.	PPL USD	Item No.	PPL USD	Size	Dimension (in)			
							A	B	D	Seal ring
NBR		EPDM		FPM		Inch				
52734604		9611991269		9611991864		0.98	1.57	0.20	1.18	
52734606		9611991271		9611991866		1.57	2.05	0.20	1.65	
52734607		9611991272		9611991867		1.97	2.52	0.20	2.13	
52734608		9611991273		9611991868		2.56	3.19	0.20	2.80	
9611991264		9611991274		9611991869		2.95	3.46	0.20	3.07	
52734609		9611991275		9611991128		3.15	3.74	0.20	3.35	
52734611		9611991276		9611991870		3.94	4.49	0.24	4.09	
Silicone (Q)		PTFE								Seal ring
9611991920		9611991876				0.98	1.57	0.20	1.18	
9611991922		9611991878				1.57	2.05	0.20	1.65	
9611991923		9611991879				1.97	2.52	0.20	2.13	
9611991924		9611991880				2.56	3.19	0.20	2.80	
9611991925		9611991881				2.95	3.46	0.20	3.07	
9611991926		9611991882				3.15	3.74	0.20	3.35	
9611991927		9611991883				3.94	4.49	0.24	4.09	

