






Hyclean™ Seal



Flushed Hyclean Seal



Positive Displacement Pump
422/432GHPD (Vertical)

Pos.	Qty.	Description	422/432 Part No.
1	1	Gear case	31494-5220-234
2	2	Dowel	5170-025
3	4	Stud, RC-gear case	6350-136
4	4	Nut, RC-gear case	5330-000
4a	4	Washer	6400-037
5	1	Gear case cover	31494-5120-057
6	6	Screw	5990-044
7	1	Lip seal, Nitrile	5310-101
	1	Lip seal, FPM	5310-079
8	1	Shim set, SS	31494-6150-151
	1	Shim set, Plastic	6150-152
8a	2	Shim Retainer	6150-272
8b	4	Screw	6000-010
9	1	Rotor case, 422	31494-91120831
	1	Rotor case, 432	31494-92120841
10	8	Stud front cover	6350-136
11	1	Front cover O-ring, Nitrile	883-1550-249
	1	Front cover O-ring, FPM	883-1551-249
	1	Front cover O-ring, PTFE	883-1552-249
	1	Front cover O-ring, EPDM	883-1555-249
12	1	Front cover	31494-5130-312
13	8	Front cover nuts	5340-047
14	2	Retainer (front bearing)	5560-031
15	6	Retainer screw	5990-007
16	2	Lip seal, Nitrile	5310-038
	2	Lip seal, FPM	5310-071
18	2	Rotor O-ring, Nitrile	883-1550-022
	2	Rotor O-ring, FPM	883-1551-022
	2	Rotor O-ring, PTFE	1558-022
	2	Rotor O-ring, EPDM	883-1555-022
20	2	Rotor nut O-ring, Nitrile	883-1550-022
	2	Rotor nut O-ring, FPM	883-1551-020
	2	Rotor nut O-ring, PTFE	883-1552-020
	2	Rotor nut O-ring, EPDM	883-1555-020
21	1	Rotor nut 422 R.H.	31494-5900-163
22	1	Rotor nut 422 L.H.	31494-5900-183
21	1	Rotor nut 432 R.H.	31494-5900-164
22	1	Rotor nut 432 L.H.	31494-5900-184
23	1	Drive key	5270-007
24	1	Drive shaft, SS	31494-6110-656
	1	Drive shaft, Duplex	31494-6110-660
25	1	Lay shaft, SS	31494-6100-664
	1	Lay shaft, Duplex	31494-6100-668
26	2	Rear bearing	5080-012
27	1	Shaft spacer	31494-5670-062
30	2	Rear nut	5340-041
31	2	Front bearing	5080-012
32	2	Bearing spacer	5670-056
36	2	Timing gear -std.	31494-5210-031
	2	Timing gear - hard	31494-5210-037
38	2	Clamp plate	5110-040
39	2	Torque locking element	5615-015
40	6	Clamp plate screws	5990-044
45	1	Drain plug	1660-004
46	1	Sight level glass	5480-001
47	1	Filler plug	31491-0052-1
	1	Filler plug washer	31499-5916-1

Recommended Spare Parts: Pos. 7, 11, 16, 18, 20, 26, 31 and shaft seals



Positive Displacement Pump
422/432 GHPD (Vertical)

Pos.	Qty.	Description	422 Part No.	432 Part No.
Trilobe Rotors (SS)				
17	2	Class "A"	31494-5740-0131	31494-5740-181
	2	Class "B"	31494-5740-0132	31494-5740-182
	2	Class "C"	31494-5740-0133	31494-5740-0183
	2	High pressure class "A"	31494-5740-0134	31494-5741-0184
	2	High pressure class "B"	31494-5740-0135	31494-5740-0185
	2	High pressure class "C"	96300-4774-9	96300-4805-1
Bilobe rotors (SS) (Bilobe rotors must be ordered in pairs)				
17	1	Class "A"	96300-9057-1	96300-9057-7
	1	Class "B"	96300-9057-2	96300-9057-8
	1	Class "C"	96300-9057-3	96300-9057-9
	1	High pressure class "A"	96300-9057-4	96300-9059-9
	1	High pressure class "B"	96300-9057-5	96300-9058-0
	1	High pressure class "C"	96300-9057-6	5741018W
Pos.	Qty.	Description	422/432 Part No.	
Hyclean™ Seal				
50	1	Clip	31495-5087-053	
51	1	Screw	5990-064	
52Δ	1	Rotor case O-ring, EPDM	883-1555-325	
	1	Rotor case O-ring, Nitrile	883-1550-325	
	1	Rotor case O-ring, FPM	883-1551-325	
53Δ	1	Wave spring	31494-0508-1	
54Δ	1	Shaft O-ring, EPDM	1555-121	
	1	Shaft O-ring, Nitrile	883-1550-121	
	1	Shaft O-ring, FPM	883-1551-121	
55Δ	1	Stationary face, Carbon	31494-0501-2	
	1	Stationary face, Silicon Carbide	31494-0501-3	
56Δ	1	Rotary face, SS	31494-0506-1	
	1	Rotary face, Silicon Carbide	31494-0506-3	
57Δ	1	Washer, Nitrile	6400-069	
	1	Washer, FPM	6400-073	
58	1	Flush housing O-ring, Nitrile	1550-139	
	1	Flush housing O-ring, FPM	883-1551-139	
59	1	Flush housing	31494-5265-388	
60	1	Lip seal, Nitrile	5310-106	
	1	Lip seal, FPM	5310-107	
not listed	2	Housing screw	5990011	
	2	Plug	5470006	
Hyclean Seal Kit				
	Δ	C/SS, Nitrile	31494-7600-1021	
	Δ	C/SS, FPM	31494-7600-1022	
	Δ	C/SS, EPDM	31494-7600-1025	
	Δ	C/SC, Nitrile	31494-7600-1821	
	Δ	C/SC, FPM	31494-7600-1822	
	Δ	C/SC, EPDM	31494-7600-1825	
	Δ	SC/SC, Nitrile	31494-7600-2021	
	Δ	SC/SC, FPM	31494-7600-2022	
	Δ	SC/SC, EPDM	31494-7600-2025	

Parts marked with Δ are included in the Hyclean seal kit.

Note! Two seal kits are required per pump.

Recommended Spare Parts: Pos. 7, 11, 16, 18, 20, 26, 31 and shaft seals



CSI

CONTACT CSI FOR MORE INFORMATION | CSIDESIGNS.COM | SALES@CSIDESIGNS.COM | 417.831.1411